

Ryzom - Bug # 844

| | | | |
|-----------------|-------------|------------------|--------|
| Status: | Closed | Priority: | Normal |
| Author: | liveriondev | Category: | Build |
| Created: | 05/06/2010 | Assignee: | vl |
| Updated: | 05/28/2010 | Due date: | |

Subject: Fix various things in the Linux build

Description

There are some bugs when running the `make_all` command. Here is a patch to fix them.

It affects the `build`, `buildmode`, `make_all` and `utilities` files in the `code/ryzom/tools/scripts/linux` directory.

- build
- define `$SRC_DIR` using the now exported `$RYZOM_PATH`.
 - move all mode files to `$RYZOM_PATH` instead of `$HOME` (cleaner).

- buildmode
- move all mode files to `$RYZOM_PATH` instead of `$HOME` (again).

- make_all
- export `$RYZOM_PATH` ; this allows usage from external called scripts.

- utilities
- move all logs from `$HOME` to `$RYZOM_PATH`.
 - remove the "function" keyword. With bash, the reserved word "function" is optional. But in Debian, `/bin/sh` is dash and this keyword is not allowed here.
 - make sure the directory for logs exists ; if not, it is created.

History

#1 - 05/07/2010 12:44 pm - vl

- Status changed from New to Assigned
- Assignee set to vl
- Target version set to Version 0.8.0

Thank you for the patch.

The thing is that "build" should be launched from the command line without calling "make_all". With your patch, "build" will not work because `$RYZOM_PATH` was not defined if not launched with "make_all".

Would you like to add a test in build that check if `$RYZOM_PATH` exists and if not, then use the default `$HOME/code` path or ask user to enter the path?

#2 - 05/07/2010 04:43 pm - jayme

Maybe we should also export SRC_DIR in "build" (if not already exported) so that we can use it in Variables.mk:

```
diff -r 44a762e71d6e code/ryzom/Variables.mk
--- a/code/ryzom/Variables.mk  Fri May 07 09:28:05 2010 +0200
+++ b/code/ryzom/Variables.mk  Fri May 07 16:42:11 2010 +0200
@@ -20,12 +20,11 @@
DIR_DBG_on  = debug
DIR_DBG_off = release

-PACK_SHEETS_FLAGS = -A/home/nevrax/code/ryzom/server -L/home/nevrax/code/ryzom/server
-C/home/nevrax/code/ryzom/server/sheet_pack_cfg -Q --nons
+PACK_SHEETS_FLAGS = -A$(SRC_DIR)/ryzom/server -L$(SRC_DIR)ryzom/server -C$(SRC_DIR)/ryzom/server/sheet_pack_cfg -Q --nons

-NEL_PATH = $(HOME)/code/install/$(DIR_DBG_$(DBG))
-RYZOM_PATH = $(HOME)/code/ryzom
+NEL_PATH = $(SRC_DIR)/install/$(DIR_DBG_$(DBG))

-NEL_INCLUDE = $(HOME)/code/nel/include
+NEL_INCLUDE = $(SRC_DIR)/nel/include
RYZOM_COMMON_SRC = $(RYZOM_PATH)/common/src

ifeq (Objects.mk,$(wildcard Objects.mk))
```

#3 - 05/08/2010 02:41 pm - liveriondev

- File *build.patch* added
- File *Makefiles.patch* added

Please find enclosed a new patch for the build utility.

I'm also attaching a patch that I use to make all Makefiles use \$(RYZOM_PATH) instead of \$(HOME)/code or \$(HOME)/cvs/code.

#4 - 05/08/2010 03:02 pm - liveriondev

By the way, I also set the -j12 argument to a lower value for building the server.

As each instance of c++ uses about 300mb of RAM for processing some files, -j12 made my system swap a lot, and thus made it freeze without making any progress in the compilation.

#5 - 05/08/2010 07:05 pm - kerozcak

I had to change MAKE_OPTS to -j2 too for the same reason. It would be nice if we could set this in one place, not in each Makefile :)

#6 - 05/11/2010 06:12 pm - vl

- Status changed from *Assigned* to *Resolved*

I applied these changes. It should work following this :

<http://dev.ryzom.com/wiki/ryzom/BuildForLinux>

#7 - 05/18/2010 10:22 am - vl

- % Done changed from 0 to 100

#8 - 05/28/2010 05:23 pm - vl

- Status changed from Resolved to Closed

Files

| | | | |
|-----------------|---------|------------|-------------|
| scripts.patch | 5.1 kB | 05/06/2010 | liveriondev |
| build.patch | 1 kB | 05/08/2010 | liveriondev |
| Makefiles.patch | 19.1 kB | 05/08/2010 | liveriondev |